

SQUARE DRAIN CONNECTOR


DESCRIPTION: Easy-to-install shower pipe connection, either in mud bed installations or with the W-S Heavy Duty sloped shower tray system (universal mud bed connector included).

NORMATIVE REFERENCES: ASME A112.18.2-2020/CSA B125.2:20, ASME A112.6.3-2019, IAPMO PS 106-2015


MANUFACTURER: GURU USA L.L.C.

REFERENCES:

REF.	DESCRIPTION	MATERIAL
IGU6801	SQUARE DRAIN CONNECTOR	ABS (black)
IGU6803	SQUARE DRAIN CONNECTOR	PVC (gray)



ABS (black)




PVC (gray)

TEST TABLES:

CHARACTERISTICS	METHOD	VALUE
Thermal cycling	5.3	Pass
Coatings	5.4	Pass
Load test	552	Pass
Watertightness	5.7	Pass
Flow rate	5.8	> 8.0 gpm
Hydrostatic pressure	5.9.2	Pass


COMPONENTS:



PIECE	DENOMINATION	MATERIAL
1	UNIVERSAL ADAPTOR	ABS/PVC
2	DRAIN BODY	ABS/PVC
3	CLAMPING RING	ABS
4	HEIGHT SUPPORT	ABS
5	3x SPACERS	ABS
6	GRATE HOLDER	ABS
7	DRAIN COVER	PP


TECHNICAL DRAWINGS:

DRAIN BODY




Measurements are in inches

HEIGHT SUPPORT - STANDARD DRAIN POSITION




HEIGHT SUPPORT - TILEABLE DRAIN POSITION




Measurements are in inches

TECHNICAL DRAWINGS:

UNIVERSAL ADAPTER




SPACER




Measurements are in inches

GRATE HOLDER





DRAIN COVER




Measurements are in inches

INSTALLATION HEIGHT OPTIONS:

MUD BED: From 3/4" to 1-1/2"



W-S HEAVY DUTY SHOWER TRAY: 1/2"



RENOVATION: From 1-1/2 to 2"

